



VICOR CONFIDENTIAL

THIS DOCUMENT AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPRODUCED, USED, OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT PERMISSION OF VICOR CORP.



REV.	DESCRIPTION	DATE	APPROVED
1	RELEASED PER E060599 PEI	03/16/06	MB
2	REVISED PER ECO Request E060019 REJH	10/27/06	FN
3	REVISED PER E080938 SA	5/6/08	REJH



- NOTES:
1. ASSEMBLY TO BE FREE OF NICKS.
 2. WINDINGS TO BE EVENLY SPACED.
 3. RoHS COMPLIANT, LEAD FREE PER CST-0001 LATEST REVISION, MAGNETICS SECTION.
 4. GENERAL WORKMANSHIP STANDARDS FOR MAGNETIC COMPONENTS PER WS-0002.

REF VICOR P/N 32497

TEST	ITEM NO.	WINDING	NO. OF TURNS	INDUCTANCE (uH)
100 KHz Vac = 10mV	2	1 PRIMARY	6	1.70 - 2.15

DRAWN BY <i>KNIGHT</i>		DATE 02/08/06		 <p>INDUCTOR ASSY, OUTPUT, 1.8 uH</p>	
<small>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES- TOLERANCES ARE: FRACTIONS DECIMALS ANGLES ±1/64 .XX= ±.01 ±1° .XXX=±.005</small>					
THIRD ANGLE PROJECTION 		SIZE B	FSCM NO. 67131	DWG NO 32498	REV 3
DO NOT SCALE DRAWING		SCALE NONE	SHEET 1 OF 1		